

1. Kanno T, Yaguchi T, Nagata T, Tanaka A, Nishizaki T. DCP-LA stimulates AMPA receptor exocytosis through CaMKII activation due to PP-1 inhibition J Cell Physiol 221(1): 183-188 (2009).
2. Yaguchi T, Nagata T, Nishizaki T. 1-Palmitoyl-2-oleoyl-sn-glycero-3-phosphocholine improves cognitive decline by enhancing long-term depression. Behav Brain Res 204(1): 129-132 (2009).
3. Yamamoto S, Kanno T, Yamada K, Yasuda Y, Nishizaki T. Dual regulation of heat-activated K<sup>+</sup> channel in rat DRG neurons via  $\alpha_1$  and  $\beta$  adrenergic receptors. Life Sci in press (2009).
4. Nakagomi T, Taguchi A, Fujimori Y, Saino O, Nakano-Doi A, Kubo S, Gotoh A, Soma T, Yoshikawa H, Nishizaki T, Nakagomi N, Stern DM, Matsuyama T. Isolation and characterization of neural stem/progenitor cells from post-stroke cerebral cortex in mice. Eur J Neurosci 29(9):1842-1852 (2009).
5. Yasuda Y, Saito M, Yamamura T, Yaguchi T, Nishizaki T. Extracellular adenosine induces apoptosis in Caco-2 human colonic cancer cells by activating caspase-9/-3 via A<sub>2a</sub> adenosine receptors. J Gastroenterol 44(1):56-65 (2009).
6. Yaguchi T, Nagata T, Nishizaki T. Dilinoleoylphosphatidylcholine ameliorates scopolamine-induced impairment of spatial learning and memory by targeting  $\alpha_7$  nicotinic ACh receptors. Life Sci 84(9-10):263-266 (2009).
7. Fujikawa H, Kanno T, Nagata T, Nishizaki T. The phosphodiesterase III inhibitor olprinone inhibits hippocampal glutamate release via a cGMP/PKG pathway. Neurosci Lett 448(2):208-211 (2008).
8. Watanabe K, Kanno T, Oshima T, Miwa H, Tashiro C, Nishizaki T. Vagotomy upregulates expression of the *N*-methyl-D-aspartate receptor NR2D subunit in the stomach. J Gastroenterol 43(5):322-326 (2008).
9. Watanabe K, Kanno T, Oshima T, Miwa H, Tashiro C, Nishizaki T. The NMDA receptor NR2A subunit regulates proliferation of MKN45 human gastric cancer cells. Biochem Biophys Res Commun 367(2):487-490 (2008).
10. Tomiyama T, Nagata T, Shimada H, Teraoka R, Fukushima A, Kanemitsu

H, Takuma H, Kuwano R, Imagawa M, Ataka S, Wada Y, Yoshioka E, Nishizaki T, Watanabe Y, Mori H. A new amyloid  $\beta$  variant favoring oligomerization in Alzheimer's-type dementia. *Ann Neurol* 63(3):377-387 (2008).

11. Sakamoto T, Ebisu Y, Ikeda A, Nakaya M, Nishizaki T. Hippocampal size may contribute prospective diagnosis of age-related dementia. *Psychogeriatrics* 7:76-80 (2007).
12. Yang D, Yaguchi T, Yamamoto H, Nishizaki T. Intracellularly transported adenosine induces apoptosis in HuH-7 human hepatoma cells by downregulating c-FLIP expression causing caspase-3/-8 activation. *Biochem Pharmacol* 73(10):1665-1675 (2007).
13. Watanabe K, Yaguchi T, Yang D, Kanno T, Nagai K, Yamamoto S, Fujikawa H, Yamamoto H, Nagata T, Tashiro C, Nishizaki T. Beneficial effect of intracellular free high-mannose oligosaccharides on cryopreservation of mammalian cells and proteins. *Cryobiology* 53(3):330-335 (2006).
14. Kanno T, Yamamoto H, Yaguchi T, Hi R, Mukasa T, Fujikawa H, Nagata T, Yamamoto S, Tanaka A, Nishizaki T. The linoleic acid derivative DCP-LA selectively activates PKC- $\epsilon$ , possibly binding to the phosphatidylserine binding site. *J Lipid Res* 47 (6):1146-1156 (2006).
15. Sai K, Yang D, Yamamoto H, Fujikawa H, Yamamoto S, Nagata T, Saito M, Yamamura T, Nishizaki T. A<sub>1</sub> adenosine receptor signal and AMPK involving caspase-9/-3 activation are responsible for adenosine-induced RCR-1 astrocytoma cell death. *Neurotoxicology* 27 (4):458-467 (2006).
16. Maruo K, Yamamoto S, Kanno T, Yaguchi T, Maruo S, Yoshiya S, Nishizaki T. Tunicamycin decreases the probability of single-channel openings for *N*-methyl-D-aspartate and  $\alpha$ -amino-3-hydroxy-5-methyl-4-isoxazole propionic acid receptors. *Neuroreport* 17 (3):313-317 (2006).
17. Yaguchi T, Nagata T, Mukasa T, Fujikawa H, Yamamoto H, Yamamoto S, Iso H, Tanaka A, Nishizaki T. Linoleic acid derivative DCP-LA improves learning impairment in SAMP8. *Neuroreport* 17 (1):105-108 (2006).
18. Maruo K, Yamamoto H, Yamamoto S, Nagata T, Fujikawa H, Kanno T,

- Yaguchi T, Maruo S, Yoshiya S, Nishizaki T. Modulation of P2X receptors via adrenergic pathways in rat dorsal root ganglion neurons after sciatic nerve injury. *Pain* 20(1-2):106-112 (2006).
19. Kanno T, Yaguchi T, Yamamoto S, Nagata T, Yamamoto H, Fujikawa H, Nishizaki T. Bidirectional regulations for glutamate and GABA release in the hippocampus by  $\alpha 7$  and non- $\alpha 7$  ACh receptors. *Biochem Biophys Res Commun* 338 (2):742-727 (2005).
  20. Kanno T, Yaguchi T, Yamamoto S, Yamamoto H, Fujikawa H, Nagata T, Tanaka A, Nishizaki T. 8-[2-(2-pentyl-cyclopropylmethyl)-cyclopropyl]-octanoic acid stimulates GABA release from interneurons projecting to CA1 pyramidal neurons in the rat hippocampus via pre-synaptic  $\alpha 7$  acetylcholine receptors. *J Neurochem* 95 (3):695-702 (2005).
  21. Nagata T, Yamamoto S, Yaguchi T, Iso H, Tanaka A, Nishizaki T. The newly synthesized linoleic acid derivative DCP-LA ameliorates memory deficits in animal models treated with amyloid- $\beta$  peptide and scopolamine. *Psychogeriatrics* 5:122-126 (2005).
  22. Yaguchi T, Yamamoto S, Nagata T, Kanno T, Tanaka A, Nishizaki T. Effects of *cis*-unsaturated free fatty acids on PKC- $\epsilon$  activation and nicotinic ACh receptor responses. *Mol Brain Res* 133 (2):320-324 (2005).
  23. Yamamoto S, Kanno T, Nagata T, Yaguchi T, Tanaka A, Nishizaki T. The linoleic acid derivative FR236924 facilitates hippocampal synaptic transmission by enhancing activity of presynaptic  $\alpha 7$  acetylcholine receptors on the glutamatergic terminals. *Neuroscience* 130(1):207-213 (2005).
  24. Kanno T, Nagata T, Yamamoto S, Okamura H, Nishizaki T. Interleukin-18 stimulates synaptically released glutamate and enhances postsynaptic AMPA receptor responses in the CA1 region of mouse hippocampal slices. *Brain Res* 1012 (1-2):190-193 (2004).
  25. Saitoh M, Nagai K, Nakagawa K, Yamamura T, Yamamoto S, Nishizaki T. Adenosine induces apoptosis in the human gastric cancer cells via an intrinsic pathway relevant to activation of AMP-activated protein kinase. *Biochem Pharmacol* 67 (10):2005-2011 (2004).

26. Nishizaki T. ATP- and adenosine-mediated signaling in the central nervous system: adenosine stimulates glutamate release from astrocytes via A<sub>2a</sub> adenosine receptors. *J Pharmacol Sci* 94(2):100-102 (2004).
27. Ohta K, Miyamoto H, Yaguchi T, Nagai K, Yamamoto S, Nomura T, Tanaka A, Nishizaki T. Stearic acid facilitates hippocampal neurotransmission by enhancing nicotinic ACh receptor responses via a PKC pathway. *Mol Brain Res*. 119 (1):83-89 (2003).
28. Saitoh M, Nagai K, Yaguchi T, Fujikawa Y, Ikejiri K, Yamamoto S, Nakagawa K, Yamamura T, Nishizaki T. Arachidonic acid peroxides induce apoptotic Neuro-2A cell death in association with intracellular Ca<sup>2+</sup> rise and mitochondrial damage independently of caspase-3 activation. *Brain Res* 991 (1-2):187-194 (2003).
29. Miyamoto H, Yaguchi T, Ohta K, Nagai K, Nagata T, Yamamoto S, Nishizaki T. 2-pyrrolidinone induces a long-lasting facilitation of hippocampal synaptic transmission by enhancing  $\alpha$ 7 ACh receptor responses via a PKC pathway. *Mol Brain Res* 117 (1):91-96 (2003).
30. Matsumoto S, Yamamoto S, Sai K, Maruo K, Adachi M, Saitoh M, Nishizaki T. Pipecolic acid induces apoptosis in neuronal cells. *Brain Res* 980 (2): 179-184 (2003).
31. Maruo K, Nagata T, Yamamoto S, Nagai K, Yajima Y, Maruo S, Nishizaki T. Tunicamycin inhibits NMDA and AMPA receptor responses independently of *N*-glycosylation. *Brain Res* 977 (2):294-297 (2003).
32. Nishizaki T. *N*-glycosylation sites on the nicotinic ACh receptor subunits regulate receptor channel desensitization and conductance. *Mol Brain Res*. 114 (2):172-176 (2003).
33. Tanaka A, Nishizaki T. The newly synthesized linoleic acid derivative FR236924 induces a long-lasting facilitation of hippocampal neurotransmission by targeting nicotinic acetylcholine receptors. *Bioorg Med Chem Lett* 13 (6):1037-1040 (2003).
34. Tada H, Uchino M, Nagai K, Nomura T, Kondoh T, Saito N, Yamamura T, Yajima Y, Nishizaki T. The anti-dementia drug FK960 stimulates glial glutamate release via a PKA pathway. *Mol Brain Res* 109 (1-2):63-68 (2002).

35. Nagai K, Jiang MH, Hada J, Nagata T, Yajima Y, Yamamoto S, Nishizaki T. (-)-Epigallocatechin gallate protects against NO stress-induced neuronal damage after ischemia by acting as an anti-oxidant. *Brain Res* 956 (2):319-322 (2002).
36. Matsumoto S, Kanno T, Nomura T, Shiotani T, Watabe S, Nabeshima T, Nishizaki T. Nefiracetam induces a long-lasting facilitation of hippocampal postsynaptic responses in mice lacking the NMDA receptor  $\epsilon$ 1 subunit. *Brain Res* 956 (1):178-181 (2002).
37. Aihara H, Fujiwara S, Mizuta I, Tada H, Kanno T, Tozaki H, Nagai K, Yajima Y, Inoue K, Kondoh T, Motooka Y, Nishizaki T. Adenosine triphosphate accelerates recovery from hypoxic/hypoglycemic perturbation of guinea pig hippocampal neurotransmission via a  $P_2$  receptor. *Brain Res* 952 (1):31-37 (2002).
38. Ohta K, Nomura T, Kanno T, Nagai K, Yamamoto S, Yajima Y, Kondoh T, Kohmura E, Saito N, Nishizaki T. L-trans-PDC enhances hippocampal neuronal activity by stimulating glial glutamate release independently of blocking transporters. *Biochem Biophys Res Commun* 295 (2):376-381 (2002).
39. Nishizaki T, Nagai K, Nomura T, Tada H, Kanno T, Tozaki H, Li XX, Kondoh T, Kodama N, Takahashi E, Sakai N, Tanaka K, Saito N. A new neuromodulatory pathway with a glial contribution mediated via  $A_{2a}$  adenosine receptors. *Glia* 39 (2):133-147 (2002).
40. Tozaki H, Matsumoto A, Kanno T, Nagai K, Nagata T, Yamamoto S, Nishizaki T. The inhibitory and facilitatory actions of amyloid- $\beta$  peptides on nicotinic ACh receptors and AMPA receptors. *Biochem Biophys Res Commun* 294 (1):42-45 (2002).
41. Nishizaki T, Matsumura T. The aniracetam metabolite 2-pyrrolidinone induces a long-term enhancement in AMPA receptor responses via a CaMKII pathway. *Mol Brain Res* 98 (1-2):130-134 (2002).
42. Tozaki H, Kanno T, Nomura T, Kondoh T, Kodama N, Saito N, Aihara H, Nagata T, Matsumoto S, Ohta K, Nagai K, Yajima Y, Nishizaki T. Role of glial glutamate transporters in the facilitatory action of FK960 on hippocampal neurotransmission. *Mol Brain Res* 97 (1):7-12 (2001).

43. Aihara H, Li X, Fujiwara S, Matsumura T, Okumura S, Tozaki H, Kanno T, Ohta K, Nagai K, Nishizaki T. The protective action of nefiracetam against electrophysiological and metabolic damage in the hippocampus after deprivation of glucose and oxygen. *Brain Res* 922 (1):158-162 (2001).
44. Motooka Y, Kondoh T, Nomura T, Tamaki N, Tozaki H, Kanno T, Nishizaki T. Selective cholinergic denervation inhibits expression of long-term potentiation in the adult but not infant rat hippocampus. *Dev Brain Res* 129 (1):119-123 (2001).
45. Nomura T, Nishizaki T, Enomoto T, Itoh H. A long-lasting facilitation of hippocampal neurotransmission via a phospholipase A<sub>2</sub> signaling pathway. *Life Sci* 68 (25):2885-2891 (2001).
46. Li XX, Nomura T, Aihara H, Nishizaki T. Adenosine enhances glial glutamate efflux via A<sub>2a</sub> adenosine receptors. *Life Sci* 68(12):1343-1350 (2001).
47. Kondoh T, Nishizaki T, Aihara H, Tamaki N. NMDA-responsible, APV-insensitive receptor in cultured human astrocytes. *Life Sci* 68 (15):1761-1767 (2001).
48. Nishizaki T, Nomura T, Matsuyama S, Kondoh T, Fujimoto E, Yoshii M. Critical role of nicotinic ACh receptor in the formation of long-term potentiation: Implications for development of anti-dementia drugs. *Psychogeriatrics* 1:209-217 (2001).
49. Yoshii M, Watabe S, Murashima YL, Nukada T, Shiotani T, Nishizaki T. Neuronal Ca<sup>2+</sup> channels and nicotinic ACh receptors as functional target of the nootropic nefiracetam. *Psychogeriatrics* 1:39-49 (2001).
50. Nishizaki T, Nomura T, Matuoka T, Kondoh T, Enikolopo G, Sumikawa K, Watabe S, Shiotani T, Yoshii M. The anti-dementia drug nefiracetam facilitates hippocampal synaptic transmission by functionally targeting presynaptic nicotinic ACh receptors. *Mol Brain Res* 80(1):53-62 (2000).
51. Matsuyama S, Matsumoto A, Enomoto T, Nishizaki T. Activation of nicotinic acetylcholine receptors induces long-term potentiation in vivo in the intact mouse dentate gyrus. *Eur J Neurosci* 12(10):3741-3747 (2000).
52. Nomura T, Nishizaki T. Nefiracetam facilitates hippocampal neurotransmission by a mechanism independent of the piracetam and

- aniracetam action. *Brain Res* 870(1-2):157-162 (2000).
53. Nishizaki T, Matsuoka T, Nomura T, Kondoh T, Watabe S, Shiotani T, Yoshii M. Presynaptic nicotinic acetylcholine receptors as a functional target of nefiracetam in inducing a long-lasting facilitation of hippocampal neurotransmission. *Alzheimer Dis Assoc Disord* 14 Suppl 1:S82-94 (2000).
  54. Matsuyama S, Nomura T, Nishizaki T. Sustained facilitatory action of FK960 on hippocampal neurotransmission. *Brain Res* 857(1-2):317-320 (2000).
  55. Ishihara I, Minami Y, Nishizaki T, Matsuoka T, Yamamura H. Activation of calpain precedes morphological alterations during hydrogen peroxide-induced apoptosis in neuronally differentiated mouse embryonal carcinoma P19 cell line. *Neurosci Lett* 279(2):97-100 (2000).
  56. Shimada F, Shiga Y, Morikawa M, Kawazura H, Morikawa O, Matsuoka T, Nishizaki T, Saito N. The neuroprotective agent MS-153 stimulates glutamate uptake. *Eur J Pharmacol* 386(2-3):263-270 (1999).
  57. Nishizaki T, Matsuoka T, Sumikawa K. Positive- and negative-regulation of  $Ca^{2+}$  entry through ACh receptor channels by phosphorylation. *Mol Brain Res* 69(2):295-301 (1999).
  58. Nishizaki T, Nomura T, Matsuoka T, Enikolopov G, Sumikawa K. Arachidonic acid induces a long-lasting facilitation of hippocampal synaptic transmission by modulating PKC activity and nicotinic ACh receptors. *Mol Brain Res* 69(2):263-272 (1999).
  59. Nishizaki T, Matsuoka T, Nomura T, Kondoh T, Tamaki N, Okada Y. Store  $Ca^{2+}$  depletion enhances NMDA responses in cultured human astrocytes. *Biochem Biophys Res Commun* 259(3):661-664 (1999).
  60. Nishizaki T, Matsuoka T, Nomura T, Matsuyama S, Watabe S, Shiotani T, Yoshii M. A 'long-term-potential-like' facilitation of hippocampal synaptic transmission induced by the nootropic nefiracetam. *Brain Res* 826(2):281-288 (1999).
  61. Nishizaki T, Matsuoka T, Nomura T, Enikolopov G, Sumikawa K. Arachidonic acid potentiates currents through  $Ca^{2+}$ -permeable AMPA receptors by interacting with a CaMKII pathway. *Mol Brain Res* 67(1):184-189 (1999).

62. Nishizaki T, Nomura T, Matsuoka T, Tsujishita Y. Arachidonic acid as a messenger for the expression of long-term potentiation. *Biochem Biophys Res Commun* 254(2):446-449 (1999).
63. Nishizaki T, Sumikawa K. Effects of PKC and PKA phosphorylation on desensitization of nicotinic acetylcholine receptors. *Brain Res* 812(1-2):242-245 (1998).
64. Nishizaki T, Sumikawa K. Nicotinic receptors are regulated by protein kinase C activated via a nicotinic receptors-mediated signaling pathway. *Mol Brain Res* 61(1-2):211-218 (1998).
65. Matsuoka T, Nishizaki T, Nomura T, Mori M, Okada Y. ATP produces potassium currents via P<sub>3</sub> purinoceptor in the follicle cell layer of *Xenopus* oocytes. *Neurosci Lett* 248(2):130-132 (1998).
66. Nishizaki T, Matsuoka T, Nomura T, Sumikawa K. Modulation of ACh receptor currents by arachidonic acid. *Mol Brain* 57(1):173-179 (1998).
67. Nishizaki T, Mori M. Diverse signal transduction pathways mediated by endogenous P<sub>2</sub> receptors in cultured rat cerebral cortical neurons. *J Neurophysiol* 79(5):2513-2521 (1998).
68. Nishizaki T, Matsuoka T. Low glucose enhances Na<sup>+</sup>/glucose transport in bovine brain artery endothelial cells. *Stroke* 29(4):844-849 (1998).
69. Nomura T, Nishizaki T. Methamphetamine modulates ACh-evoked currents in *Xenopus* oocytes expressing the rat  $\alpha 7$  receptors. *Neurosci Lett* 239(2-3):73-76 (1997).
70. Matsuoka T, Nishizaki T, Kisby GE. Na<sup>+</sup>-dependent and phlorizin-inhibitable transport of glucose and cycasin in brain endothelial cells. *J Neurochem* 70(2):772-777 (1998).
71. Nishizaki T, Matsuoka T, Nomura T, Sumikawa K, Shiotani T, Watabe S, Yoshii M. Nefiracetam modulates acetylcholine receptor currents via two different signal transduction pathways. *Mol Pharmacol* 53(1):1-5 (1998).
72. Nishizaki T, Sumikawa K. Lysophosphatidic acid potentiates ACh receptor currents by G-protein-mediated activation of protein kinase C. *Mol Brain Res* 50(1-2):121-126 (1997).
73. Matsuoka T, Nishizaki T, Nomura T. The voltage-dependent non-selective cation channel sensitive to the L-type calcium channel blocker efonidipine

regulates  $\text{Ca}^{2+}$  influx in brain vascular smooth muscle cells. *Biochem Biophys Res Commun* 240(2):484-487 (1997).

74. Nishizaki T, Matsuoka T, Nomura T, Sumikawa K. A serum factor potentiates ACh and AMPA receptor currents via differential signal transduction pathways. *Biochem Biophys Res* 238(2):565-568 (1997).
75. Matsuoka T, Kondoh T, Tamaki N, Nishizaki T. The GABA<sub>A</sub> receptor is expressed in human neurons derived from a teratocarcinoma cell line. *Biochem Biophys Res Commun* 237(3):719-723 (1997).
76. Mori M, Hosomi H, Nishizaki T, Kawahara K, Okada Y. Calcium release from intracellular stores evoked by extracellular ATP in a *Xenopus* renal epithelial cell line. *J Physiol* 502 ( Pt 2):365-373 (1997).
77. Ikeuchi Y, Nishizaki T, Matsuoka T, Sumikawa K. Long-lasting enhancement of ACh receptor currents by lysophospholipids. *Mol Brain Res* 45(2):317-320 (1997).
78. Nishizaki T, Ikeuchi Y, Matsuoka T, Sumikawa K. Short-term depression and long-term enhancement of ACh-gated channel currents induced by linoleic and linolenic acid. *Brain Res* 751(2):253-258 (1997).
79. Matsuoka T, Nishizaki T, Ikeuchi Y, Okada Y, Sumino K. Differential effects of the serotonin receptors on cultured rat cerebral cortical neurons. *Life Sci* 53(3):233-236 (1997).
80. Matsuoka T, Nishizaki T, Sumino K. A specific inhibitory action of lithium on the 5-HT<sub>2c</sub> receptor expressed in *Xenopus laevis* oocytes. *Mol Pharmacol* 51(3):471-474 (1997).
81. Nishizaki T, Ikeuchi Y, Matsuoka T, Sumikawa K. Oleic acid enhances ACh receptor currents by activation of  $\text{Ca}^{2+}$ /calmodulin-dependent protein kinase II. *Neuroreport* 8(3):597-601 (1997).
82. Gehle VM, Walcott EC, Nishizaki T, Sumikawa K. N-glycosylation at the conserved sites ensures the expression of properly folded functional ACh receptors. *Mol Brain Res* 45(2):219-229 (1997).
83. Ikeuchi Y, Nishizaki T, Mori M, Okada Y. Adenosine activates the K<sup>+</sup> channel and enhances cytosolic  $\text{Ca}^{2+}$  release via a P2Y purinoceptor in hippocampal neurons. *Eur J Pharmacol* 304(1-3):191-199 (1996).
84. Ikeuchi Y, Nishizaki T. ATP-regulated K<sup>+</sup> channel and cytosolic  $\text{Ca}^{2+}$

- mobilization in cultured rat spinal neurons. *Eur J Pharmacol* 302(1-3):163-169 (1996).
85. Ikeuchi Y, Nishizaki T, Matsuoka T, Sumikawa K. Arachidonic acid potentiates ACh receptor currents by protein kinase C activation but not by receptor phosphorylation. *Biochem Biophys Res Commun* 221(3):716-721 (1996).
  86. Mori M, Nishizaki T, Kawahara K, Okada Y. ATP-activated cation conductance in a *Xenopus* renal epithelial cell line. *J Physiol* 491 ( Pt 2):281-290 (1996).
  87. Ikeuchi Y, Nishizaki T, Okada Y. Repetitive applications of ATP potentiate potassium current by  $Ca^{2+}$ /calmodulin kinase in cultured rat hippocampal neurons. *Neurosci Lett* 203(2):115-118 (1996).
  88. Matsuoka T, Nishizaki T, Ikeuchi Y. Regulation of the serum-activated  $Ca^{2+}$ -dependent chloride channel in *Xenopus* oocytes. *Biochem Biophys Res Commun* 218(2):633-637 (1996).
  89. Ikeuchi Y, Nishizaki T, Mori M, Okada Y. Regulation of the potassium current and cytosolic  $Ca^{2+}$  release induced by 2-methylthio ATP in hippocampal neurons. *Biochem Biophys Res Commun* 218(2):428-433 (1996).
  90. Ikeuchi Y, Nishizaki T.  $P_2$  purinoceptor-operated potassium channel in rat cerebellar neurons. *Biochem Biophys Res Commun* 5;218(1):67-71 (1996).
  91. Nishizaki T, Ikeuchi Y. Adenosine evokes potassium currents by protein kinase C activated via a novel signaling pathway in superior colliculus neurons. *FEBS Lett* 378(1):1-6 (1996).
  92. Ikeuchi Y, Nishizaki T, Matsuoka T. Lysophosphatidylcholine inhibits NMDA-induced currents by a mechanism independent of phospholipase  $A_2$ -mediated protein kinase C activation in hippocampal glial cells. *Biochem Biophys Res Commun* 217(3):811-816 (1995).
  93. Ikeuchi Y, Nishizaki T. Dual effects of ATP on the potassium channel and intracellular  $Ca^{2+}$  release in smooth muscle cells of the bovine brain arteries. *Biochem Biophys Res Commun* 215(3):1071-1077 (1995).
  94. Ikeuchi Y, Nishizaki T. ATP activates the potassium channel and

enhances cytosolic Ca<sup>2+</sup> release via a P<sub>2</sub>Y purinoceptor linked to pertussis toxin-insensitive G-protein in brain artery endothelial cells. *Biochem Biophys Res Commun* 215(3):1022-1028 (1995).

95. Ikeuchi Y, Nishizaki T, Mori M, Okada Y. Adenosine activates the potassium channel via a P<sub>2</sub> purinoceptor but not via an adenosine receptor in cultured rat superior colliculus neurons. *Neurosci Lett* 198(3):205-208 (1995).
96. Ikeuchi Y, Nishizaki T, Okada Y. A P<sub>2</sub> purinoceptor activated by ADP in rat medullar neurons. *Neurosci Lett* 198(2):71-74 (1995).
97. Ikeuchi Y, Nishizaki T. The P<sub>2</sub>Y purinoceptor-operated potassium channel is possibly regulated by the beta gamma subunits of a pertussis toxin-insensitive G-protein in cultured rat inferior colliculus neurons. *Biochem Biophys Res Commun* 214(2):589-596 (1995).
98. Nishizaki T, Ikeuchi Y. Activation of endogenous protein kinase C enhances currents through  $\alpha$ 1 and  $\alpha$ 2 glycine receptor channels. *Brain Res* 687(1-2):214-216 (1995).
99. Ikeuchi Y, Nishizaki T. Methylcobalamin induces a long-lasting enhancement of the postsynaptic field potential in hippocampal slices of the guinea pig. *Neurosci Lett* 192(2):113-116 (1995).
100. Ikeuchi Y, Nishizaki T. ATP-evoked potassium currents in rat striatal neurons are mediated by a P<sub>2</sub> purinergic receptor. *Neurosci Lett* 190(2):89-92 (1995).
101. Nishizaki T, Kammesheidt A, Sumikawa K, Asada T, Okada Y. A sodium- and energy-dependent glucose transporter with similarities to SGLT1-2 is expressed in bovine cortical vessels. *Neurosci Res* 22(1):13-22 (1995).
102. Nishizaki T, Sumikawa K. Direct action of 4- $\beta$ -phorbol-12,13-dibutyrate (PDBu) on nicotinic acetylcholine receptor channel independent of protein kinase C activation. *Neurosci Lett* 188(2):129-131 (1995).
103. Nishizaki T, Kammesheidt A, Sumikawa K, Asada T, Okada Y. A sodium- and energy-dependent glucose transporter with similarities to SGLT1-2 is expressed in bovine cortical vessels. *Neurosci* 22(1):13-22 (1995).
104. Sumikawa K, Nishizaki T. The amino acid residues 1-128 in the  $\alpha$  subunit of the nicotinic acetylcholine receptor contain assembly signals. *Mol Brain*

Res 25(3-4):257-264 (1994).

105. Nishizaki T, Sumikawa K. A cAMP-dependent Ca<sup>2+</sup> signalling pathway at the endplate provided by the gamma to epsilon subunit switch in ACh receptors. *Mol Brain Res* 24(1-4):341-345 (1994).
106. Nishizaki T, Morales A, Gehle VM, Sumikawa K. Differential interactions of gentamicin with mouse junctional and extrajunctional ACh receptors expressed in *Xenopus* oocytes. *Mol Brain Res* 21(1-2):99-106 (1994).
107. Nishizaki T, Sumikawa K. Tunicamycin alters channel gating characteristics of junctional and extrajunctional acetylcholine receptors expressed in *Xenopus* oocytes. *Neurosci Lett* 170(2):273-276 (1994).
108. Nishizaki T, Sumikawa K. Tunicamycin increases desensitization of junctional and extrajunctional acetylcholine receptors expressed in *Xenopus* oocytes by a mechanism independent of *N*-glycosylation blocking. *Mol Pharmacol* 42(1):152-156 (1992).
109. Mori M, Nishizaki T, Okada Y. Protective effect of adenosine on the anoxic damage of hippocampal slice. *Neuroscience* 46(2):301-307 (1992).
110. Nishizaki T, Okada Y. Effects of excitatory amino acids on the oxygen consumption of hippocampal slices from the guinea pig. *Brain Res* 452(1-2):11-20 (1988).
111. Nishizaki T, Yamauchi R, Tanimoto M, Okada Y. Effects of temperature on the oxygen consumption in thin slices from different brain regions. *Neurosci Lett* 86(3):301-305 (1988).
112. Nishizaki T, Yamauchi R, Okada Y. Enhancement of the oxygen consumption in the hippocampal slices of the guinea pig induced by glutamate and its related substances. *Neurosci Lett* 85(1):61-64 (1988).